



(GB) PLANTER/FURROWER (P/N 6222)

This wonderful attachment makes the best planting and hilling furrower you've ever seen. Does the work 5 times faster (and easier!) than hand hoeing. Uniform depth, shallow or deep. You'll love it!

(DE) HÄUFLER/PFLUG (Art. No. 6222)

Dieses fantastische Zubehör ist der beste Häufler/Pflug, der Ihnen je begegnet ist! Er erledigt die Arbeit viel schneller und einfacher, als Sie es mit der Hacke könnten. Ob tief oder flach - er gräbt alle Furchen einheitlich.

(FR) CHARRUE/BUTTEUSE (Article N° 6222)

Ce merveilleux accessoire est aussi la meilleure laboureuse qui soit, pour planter et faire du terrassement. Grâce à lui, vous pouvez travailler 5 fois plus vite (et plus facilement !) qu'en sarclant à la main. Qu'il s'agisse de travailler une terre à profondeur égale, peu ou très profonde, cet accessoire vous plaira!

(IT) PIANTATRICE/ASSOLCATRICE (Articolo n. 6222)

Questo meraviglioso attrezzo è la migliore piantatrice ed assolcatrice per rincalzatura mai vista. Finisce il lavoro in un quinto del tempo (e della fatica!) rispetto alla zappatura a mano. Scavo uniforme, superficiale o in profondità. E' amore a prima vista!

(NL) PLANTER/GEULENTREKKER (Cat. nr. 6222)

Dit handige hulpstuk is de beste geulentrekker voor het planten en maken van heuveltjes die u ooit gezien hebt. 5 maal zo snel (en zo gemakkelijk!) als met de hand schoffelen. Gelijkmatige diepte, ondiep of diep. U zult ervan genieten!

(PT) PLANTADOR/SULCADOR (P/N 6222)

Este maravilhoso acessório é o melhor utensílio para plantar e fazer sulcos/montículos que já alguma vez possa ter visto. Efectua este tipo de trabalho cinco vezes mais depressa (e mais facilmente!) do que se trabalhar com uma enxada. A profundidades uniformes, mais ou menos profundas. Vai gostar muito de trabalhar com este instrumento!

(ES) CULTIVADORA/LABRADORA (Cat. #6222)


Este admirable aditamento cultiva de la mejor manera y labra los pequeños montículos como nunca jamás lo ha visto. Hace este tipo de labor 5 veces más rápido (¡y fácil!), que con el uso de un azadón. A profundidades uniformes, profundas o menos profundas. ¡A usted le agradecerá!

Ⓞ **PLANTER/FURROWER**

All attachments mount on the tine shafts and are held in place with retaining pins. Attachment maintenance is very simple. Just clean with your garden hose. When dry, spray with a light pressurized oil like WD40.

Note:

In the instructions that follow, assume that you are standing behind the Tiller as you would in tilling or cultivating.



OPERATING INSTRUCTIONS AND PARTS LISTS

How to Mount

If you want to trench or furrow, place the tines so the straight face of the blade impacts with the earth. If you want minimum tillage, place the tines so that the angled face of the blade impacts with the earth.

First, why waste time tilling up soil you're going to walk on all summer? Whenever you fertilize, plant, weed or spray for insects you walk between rows... Tilling this area is a waste of both your time and money.

Second, by tilling your seed beds only, you create a light fluffy seed bed which promotes rapid root growth. When your roots hit the compact soil on the sides and bottom of your seed bed trench, they will draw on nature's rich supply of stored nutrients and moisture which travels upward in compact soil by capillary action.

Minimum Tillage

(Tines in Cultivating Position)

If you have not tried minimum tillage we suggest you experiment with your Planter/ Furrower Tines for this purpose. Minimum tillage saves you topsoil, time and fertilizer. It also gives you better crop yields and helps

your garden survive prolonged dry spells. When you practice minimum tillage, you spread fertilizer along your seed rows only. Next you till your seed bed only. You do not till the area between rows. You do weed it with your cultivator when necessary.

Certain crops are narrow rooted. Planter/Furrower Tines are ideal for these crops. Use Planter/Furrower Tines for narrow rooted crops such as: onions, carrots, beets, rutabaga, parsnips, lettuce, radish, Jerusalem artichokes, beans (single row) and melon crops.

Trenching and Furrowing

If you're planting potatoes, strawberries or asparagus ... go over your seed beds lightly with your normal tines. Next put your Planter/Furrower tines on in the tilling position and till deeply by letting the machine run forward and then pulling back on it slowly. Do this down the entire row. If you want furrows for potatoes, strawberries or asparagus, simply walk backward along the row, pulling the cultivator as if it were a hoe ... the hoeing motion clears soil from the trench ... If your soil is heavy, let the machine work at a slight angle to the bed. Pulling it back on an angle helps clear earth from the trench.

ATTACHMENT LIMITED SERVICE & WARRANTY POLICY

The Mantis Tiller and its attachments are guaranteed against defects in material and workmanship for a period of TWO YEARS FROM DATE OF PURCHASE. All tines for the tiller are guaranteed for five years against breakage. Any Mantis products or parts found to be defective within the warranty period are to be returned to our factory listed below.

Transportation charges on parts and units submitted for replacement under this warranty must be borne by the purchaser.

THIS WARRANTY shall not be effective if the product has been the subject of misuse, negligence or accident or if the product has been repaired or altered outside of our factory in any respect which affects its condition or operation.

Mantis shall not be liable for any special indirect or consequential damages arising from defective equipment. Any implied warranty, including merchantability or fitness for a particular purpose, shall not extend beyond the written warranty period.

TINE GUARANTEE

Our tines not only work better than the rest; they're also guaranteed for five years against breakage. If any tine ever breaks in normal use, send the broken tine back to us and we'll send you a replacement tine FREE!



WARNING • DANGER
IMPROPER USE OR CARE OF THESE ATTACHMENTS OR FAILURE TO WEAR PROPER PROTECTION CAN RESULT IN SERIOUS INJURY.

READ AND UNDERSTAND THE RULES FOR SAFE OPERATION AND ALL INSTRUCTIONS IN THIS MANUAL.

WEAR HEARING AND EYE PROTECTION.

Warnings - dos

Read and understand the owner's manual. Pay particular attention to all sections regarding safety.

1. Always keep a firm grip on both handles while the attachment is moving and/or the engine is running. BE AWARE!! The tines may coast after throttle trigger is released. make sure tines have come to a complete stop and engine is off before letting go of the tiller.

2. Always maintain a firm footing and good balance, do not overreach while operating the tiller. Before you start to use the tiller check the work area for obstacles that might cause you to lose your footing, balance or control of the machine.

3. Always keep area clear of children, pets and bystanders.

4. Always stay alert. Watch what you are doing and use common sense. Do not operate unit when fatigued.

5. Always dress properly. Do not wear loose clothing or jewellery, they might get caught in moving parts. Use sturdy gloves. Gloves reduce the transmission of vibration to your hands. Prolonged exposure to vibration can cause numbness and other ailments. Wear non-skid foot wear to ensure secure and proper footing.

6. Always wear ear and eye protection. Eye protection must meet applicable CE standards. To avoid hearing damage we recommend hearing protection be worn whenever using the equipment.

7. Always keep a safe distance between two or more people when working together.

8. Always inspect your attachment before each use and ensure that all handles, guards and fasteners are secure, operating and in place.

Always maintain and examine your tiller and attachments with care. Follow maintenance instructions given in tiller manual.

10. Always store attachments in a sheltered area (a dry place) not accessible to children. The tiller as well as fuel should not be stored in a house.

Warnings - don'ts

Don't use tiller with one hand, keep both hands on handles with fingers and thumbs encircling the handles, while attachment is moving, and engine is running.

Don't overreach. Keep a good footing at all times.

Don't attempt to clear attachment while it is moving. Never try to remove jammed material before switching the engine off and making sure the attachment has stopped completely.

Don't allow children or incapable people to operate the tiller.

Don't operate while under the influence of alcohol or drugs.

Don't attempt to repair the attachment. Have repairs made by a qualified dealer or repairman. See that only original Mantis parts are used.

WARNING • DANGER

HANDLE FUEL WITH CARE, IT IS HIGHLY FLAMMABLE. FUELING A HOT ENGINE OR NEAR AN IGNITION SOURCE CAN CAUSE A FIRE AND RESULT IN SERIOUS PERSONAL INJURY AND/OR PROPERTY DAMAGE.

Engine fuel warnings - do's

Always use fresh petrol in the fuel mixture. Stale petrol can cause leakage.

Always pull starter cord slowly until resistance is felt. Then pull cord rapidly to avoid kickback and prevent arm or hand injury.

Always operate engine with spark arrestor installed and operating properly.

Engine/fuel warnings - don'ts

Don't fuel, refuel or check fuel while smoking or near an open flame or other ignition source. Stop engine and be sure it is cool before refueling.

Don't leave the engine running while the tiller is unattended. Stop engine before putting the tiller down or while transporting from one place to another.

Don't refuel, start or run this tiller indoors or in an improperly ventilated area.

Don't run engine when electrical system causes spark outside the cylinder. During periodical checks of the spark plug, keep plug a safe distance from cylinder to avoid burning of evaporated fuel from cylinder.

Don't check for spark with spark plug or plug wire removed. use an approved tester.

Don't crank engine with spark plug removed, except when preparing to store tiller for the off season.

Don't run engine when the odor of petrol is present or other explosive conditions exist.

Don't operate the unit if petrol is spilled. Clean up spill completely before starting engine.

Don't operate your tiller if there is an accumulation of debris around the exhaust and cooling fins.

Don't touch hot exhaust, cylinders or cooling fins as contact may cause serious burns.